




Amphenol PCD SZ
ORIGINAL
PDF Format
R&D

REV	ECN	DESCRIPTION	DATE	MODIFIED
1		RELEASE	Apr-18-24	
2	R8297W	COMPATIBLE WITH CHARGING CABLES COMPLIANT WITH IEC PAS 63472	Jul-09-24	

P/N: P02B0058902



SECTION B-B





安费诺精密连接器(深圳)有限公司
Amphenol PCD Shenzhen

受 控 文 件


2024年7月24日

DIMENSIONS	TOLERANCES	PROJECTION	Amphenol PCD Shenzhen		TITLE				
ANSI Y14.5M	.X ±0.5		ENGR		HOLDER FOR CCS2				
UNITS: MM	.XX ±0.05		Mar-25-24						
Pro/E FILE	ANGLES ±2°								
ORIGINAL	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF Amphenol PCD Shenzhen Co. Ltd Amphenol PCD Shenzhen Co. Ltd RESERVES THE RIGHT TO CLARIFY THIS DRAWING	CHKD		SIZE	DWG NO.		REV		
		APPD		A3	C-P02B00589XX		2		
						SCALE: 3:10		SHEET 1 OF 3	

P/N:P02B0058901



SECTION A-A



SWITCH:
1. DC 32V 1~50 mA;
2. LIFE TEST NUMBER OF CYCLES:>10000.

安费诺精密连接器(深圳)有限公司
Amphenol PCD Shenzhen


受 控 文 件

2024年7月24日

NOTE

- 1.MATERIAL:PC;
- 2.AMBIENT TEMPERATURE (OPERATION): -30°C ~50°C;
AMBIENT TEMPERATURE (STORAGE/TRANSPORT):-40°C ~85°C;
- 3.INSULATOR INFLAMMABILITY:UL94,V-0;
- 4.ROHS COMPLIANCE.

SIZE	DWG NO.	REV
A3	C-P02B00589XX	2
SCALE: 3:10		SHEET 2 OF 3



SUITABLE FOR MOUNTING PANEL,
P/N:P02B0058901、P02B0058902.

安费诺精密连接器(深圳)有限公司
Amphenol PCD Shenzhen

受 控 文 件

2024年7月24日

SIZE	DWG NO.	REV
A3	C-P02B00589XX	2
SCALE: 3:10		SHEET 3 OF 3